

This user notice refers to Grassmat, accessibility and protection mat for lawns.
Read carefully the following instructions and always follow the safety rules.

INSTALLATION

Required material:

One mallet or hammer and 2 people are all you need to install and remove the Grassmat. A 40 meter section can be installed in just 10 minutes.

Step 1: Levelling the ground

If necessary, fill any gaps in the soil with sand or earth. **We strongly recommend installing Grassmat on mown grass.**

Step 2: Laying the mat

On the lawn, unroll the mat in the desired position (a broom is all you need to remove the leaves from the ground if necessary). It is advisable to temporarily fix it at the 4 corners so that the mat regains its flat appearance (supplied in rolls). The recommended waiting time is about 1 hour and may vary depending on the weather.


Step 3: Fixing the mat to the floor

Once you have unrolled your mat in the desired location, you simply need to fix it in place by using a hammer to hammer the U-fixing (**4 U-fixing per m² are supplied with the order**) into the meshes in the desired location. It is best to fix the U-fixing between the upper meshes of the Grassmat so that the chevrons do not protrude. We recommend arranging the U-fixing as shown in the diagram on the next page.


Step 4: Helping grass to grow

Once the Grassmat is firmly in place, we recommend watering or spreading fertilizer to help the grass grow and restore the natural appearance of the surface. The best results are obtained by keeping vehicles away until the grass has grown through the Grassmat.

Thermal expansion and contraction may occur following prolonged exposure to hot climates. We recommend to leave a 15 mm gap between each roll before fixing, in order to adequately anticipate these possible risks.



Mauvaise fixation du cavalier



Fixation correcte du cavalier

Some precautions must be taken when installing the Grassmat on your ground. Be sure to insert the U-fixing into the Grassmat grooves to limit any inconvenience.

ATTENTION: The soil must be drained to avoid the risk of the Grassmat sinking into the ground and the accumulation of muddy soil on the surface of the mat.

UNINSTALLATION

Step 1: Remove U-fixing

Remove the U-fixing from the Grassmat. If they are firmly anchored, it may be necessary to use pliers.

Step 2: Storage

All that's left to do is roll up your Grassmat and use the supplied carrying strap for safe handling and storage.

MAINTENANCE

Grassmat can be cleaned quickly using a broom, blower or pressurized water jet. The first 3 or 4 mowings should be made with a cutting blade set at an appropriate height to allow the grass to develop properly.

WARRANTY

DESCHAMPS offers a two (2) year warranty from the date of purchase. This warranty covers manufacturing defects only. Alterations due to normal use are not considered manufacturing defects. Damage caused by vandalism or the passage of vehicles (other than those intended by normal use of the product) is not covered by the warranty.

The warranty does not apply to:

- normal wear and tear or improper use, maintenance or storage of the solution.
- accidents or natural disasters.
- modifications made to the solution without the written consent of DESCHAMPS.
- repairs made without the written consent of DESCHAMPS.
- labor or shipping costs that may be necessary if repairs are contemplated.

If you are not satisfied with the conditions or repairs, please contact DESCHAMPS directly. Products may not be returned without the consent of DESCHAMPS. The two (2) year warranty is only applicable to the original purchaser.

RÉFÉRENCES



Siège d'Apple – Californie, USA











Musée des Beaux Arts, Caen

GRASSMAT

0 to 10% 

Graphics/illustrations Copyright © 2024 ACCESSREC



ETS A.DESCHAMPS ET FILS
Usine de Bourissson
16400 La Couronne – FRANCE
+33 (0) 545 677 030

Property of ETS A.DESCHAMPS ET FILS and
DESCHAMPS MATS SYSTEMS INC. Mobi-mat®. All
rights reserved. Non-contractual pictures.
Products and specifications can be changed
without prior notice.

DESCHAMPS MATS SYSTEMS
218 Little Falls Road, Unit 12
Cedar Grove NJ 07009 – USA
+1 973 928 3040
GSA contract#47QSWA23D004U