

Mobi-fence[™] Sand and Dust Fence







the dune



ADVANTAGES 7

- resistance > Rot-proof
- > UV, sea water, wind
 - > 100% recyclable > Easy installation & maintenance
- > Flexible > Lightweight > Robust
- Retains dust, sand or snow

Technical specifications

Height	1 m 3.25 ft	2m 6.5 ft
Length	50 m 164 ft	50m 164 ft
Pockets lenght	10 cm 4" or ou 15 cm 6"	15 cm 6"
Stakes dimension	Stake diameter 8cm or 10cm 4" Lenght 2m 6.5 ft	Stake diameter 10cm 4'' Lenght 2m 6.5 ft
Weight	20 kg 44 lb	35 kg 77 lb
Color	Beige	Beige
Reference	300460-5000	300463-5000



Mobi-fence[™] withstands winds over 180km/h

Weight	340 g/m² 0.07 lb/sqft
Temperature : use & storage*	-40°C / + 80°C -104°F / +176°F

*Non-contractual data

The multi-layer fabric is made with high resistance polyester yarn, which gives it great resistance to:


- Traction (4t/ml)
- Perforation
- Abrasion



2 years warranty



ISO 9001 & ISO 14001 certification





- > Low mesh opening (prevents the passage of sand, dust or snow)
- > High permeability (windbreak, no trap effect)
- > Pockets directly included in the fabric

Preservation of flora & fauna



- > Thick fabric
- > Strengthened edges

Easy installation & low maintenance

QUICK INSTALLATION

A Mobi-fence[™] is easy and quick to install thanks to its lightness, its flexibility and the pockets included in the fabric to slide the stakes.

The installation comes down to driving the stakes.

LOW MAINTENANCE

Mobi-fence[™] does not require any special maintenance and fits perfectly and easily into any type of landscape.





The stakes are not included, we recommend wood stake 6.5' high for the 3.25 feet Mobi-fence™





+10 years after Mobi-fence installation Before Mobi-fence installation





ACCESS & INFRASTRUCTURE PROTECTION



DUNE REINFORCEMENT



Mobi-fence[™] provides sandbank or dust control, dune reinforcement and sea erosion control.

Mobi-fence[™] protects against strong rising tides, stabilized the base of the dune, and protects against sand being carried away by the tide or wind. Pathways, roads, parking lots, recreation areas and buildings are protected and the development of flora and fauna are encouraged.

What are our additional products?



ETS A.DESCHAMPS ET FILS Usine de Bourisson 16400 La Couronne – FRANCE +33 (0) 545 677 030 Property of ETS A.DESCHAMPS ET FILS and DESCHAMPS MATS SYSTEMS INC. Mobi-mat®. All rights reserved. Noncontractual pictures & information. Products and specifications can be changed without prior notice. DESCHAMPS MATS SYSTEMS 218 Little Falls Road, Unit 12 Cedar Grove NJ 07009 – USA +1 973 928 3040 GSA contract #47QSWA23D004U



(f) @mobimat.access

mobimatofficial

mobi-mat.com